

# **Open Architecture in Electronics Systems**

**23 October 2008**  
**Bruce Bardell, Technical Fellow**  
**Bradley Chief Architect**  
**BAE Systems**

# Open Architecture, 10 years ago

- **Goals of “Open Architecture”**
  - to guarantee the previously-developed military subsystems were usable in platforms under development
  - new subsystems being developed for use in new platforms could be reused in future platforms
- **How is “future platform reuse” supported?**
  - Maximize use of Industry Standards
  - Minimize custom design content of any “Vetronics” item that has a commercial equivalent
- **How well did this work? See next slide.**

**Vetronics is vehicle computer resources, vehicle busses, peripheral electronics such as sights, human/machine interface boxes, electronic GFE, etc.**

# Open Architecture, 10 years ago

## What is “Open” – What was the Result?

<b>Standard 28 VDC Vehicle Power Source</b>	
<b>Standardized command / response &amp; communication busses, such as MIL-STD-1553B &amp; Ethernet</b>	
<b>Standardized interfaces, such as VGA, RS170</b>	
<b>RS-232, RS422, RS423</b>	
<b>Standard backplane, such as VME</b>	
<b>Use of “Middleware” OE to permit computer HW update</b>	
<b>Standard form factor circuit cards</b>	

# Open Architecture, 10 years ago

## What is “Open” – What was the Result?

Standard 28 VDC Vehicle Power Source	Compatible with most GFE
Standardized command / response & communication busses, such as MIL-STD-1553B & Ethernet	Electrical compatibility, but must comply with GFE ICD
Standardized interfaces, such as VGA, RS170	Electrical and waveform compatibility
RS-232, RS422, RS423	Electrical compatibility, but must comply with GFE ICD
Standard backplane, such as VME	Basic compatibility, but VME spec. includes a “custom” connector
Use of “Middleware” OE to permit computer HW update	No Application impact when obsolescence redesign(s) introduced
Standard form factor circuit cards	No benefit. Function density, environmental, and “custom” connector required custom CCAs.

# Wikipedia Definition, 21 Oct 2008

- Open architecture is a type of computer architecture or software architecture that allows adding, upgrading and swapping components. For example, the IBM PC has an open architecture, whereas the Amiga 500 home computer had a closed architecture, where the hardware manufacturer chooses the components, and they are not generally upgradable.
- (Deleted definition that relates to Architectural Design of Buildings)
- Open architecture allows potential users to see inside all or parts of the architecture without any proprietary constraints. Typically, an open architecture publishes all or parts of its architecture that the developer or integrator wants to share. The open business processes involved with an open architecture may require some license agreements between entities sharing the architecture information.

## 21 Oct 2008 Wikipedia Definition, parsed

- Characteristics of Open architecture
  - allows adding, upgrading and swapping components
    - For example, the [IBM PC](#) has an open architecture, whereas the [Amiga 500](#) home computer had a closed architecture, where the hardware manufacturer chooses the components, and they are not generally upgradable.
  - allows potential users to see inside all or parts of the architecture without any proprietary constraints
    - Typically, an open architecture publishes all or parts of its architecture that the developer or integrator wants to share. The open business processes involved with an open architecture may require some license agreements between entities sharing the architecture information.

# Building on the Wikipedia 21 Oct 2008 Definition (1 of 2)

<u>Wikipedia</u>	<u>Possible Manifestation in Vehicle Design</u>	<u>How does Vehicle Design Enable?</u>
Allows adding, upgrading and swapping components	Uses standard power levels	Meet Military standard vehicle and industry standard backplane bus voltage levels
	Uses standard form factor and connectors	Select and implement commercial standard card and connector specifications
	Meets environmentals	Provide an environment that adapts vehicle environmentals to commercial specifications
	Uses standard communication busses	Use popular commercial busses
	Follows communications standards	Use accepted protocols for communication busses
	Comes with drivers that bridge component to OS	Software architecture contains a “driver” layer, and implements appropriate standards
	Software runtime is compatible with OS	Use an Operating Environment “Middleware” to isolate applications from OS
	Firewalls for hard real time applications	Architecture to include resource management to assure resource starvation doesn't occur

# Building on the Wikipedia 21 Oct 2008 Definition (2 of 2)

<u>Wikipedia</u>	<u>Possible Manifestation in Vehicle Design</u>	<u>How does Vehicle Design Enable?</u>
allows potential users to see inside all or parts of the architecture without any proprietary constraints	Documentation partitioned to describe services, communication & task management interfaces of core and upgradeable capabilities; no documentation of sensitive capabilities	Assure appropriate development documents are suitable for public release



# Do the Assumed 2008 Open Architecture Goals Add New Requirements? (1 of 2)

<u>Goals of Today's Open Architecture Definition for Military Vehicles</u>	<u>Possible Manifestation in Vehicle Design</u>	<u>How does Vehicle Design Enable?</u>
Avoid developing unique designs and proprietary solutions when industry accepted standards exist	Use industry accepted standards, covered earlier	Covered earlier
Enable use of commercial hardware and software solutions, when suitable	Use commercial hardware	Adapt between vehicle and commercial environmentals. Covered earlier
	Use commercial software	Provide middleware or Operating Environment to isolate OS from commercial SW. Covered earlier <b>Possibly modify design of commercial software</b>
Maximize upgradeability with commercial hardware and software solutions, when suitable	Covered above	Covered Above

# Do the Assumed 2008 Open Architecture Goals Add New Requirements? (2 of 2)

<u>Goals of Today's Open Architecture Definition for Military Vehicles</u>	<u>Possible Manifestation in Vehicle Design</u>	<u>How does Vehicle Design Enable?</u>
<p>Support not-well-defined or constrained increases in platform computer resource needs.</p>	<p>Include reserve space for additional hardware</p>	<p>Leave room for new chassis or empty slots in existing chassis</p>
	<p>Include space for additional memory capacity</p>	
	<p>Include reserve electrical power to run that hardware</p>	<p>Add reserve to power budget</p>
	<p>Include present and future voltage levels to power that hardware</p>	<p>Provide traces to empty slots for possible future power supply CCAs</p>
	<p>Include space and data bus allocations for user interface escalation</p>	<p>Provide connector reserve capacity or extra unused connectors</p>

# Mapping of Prior Definitions to U.S. Navy Open Architecture Definition

<u>LynuxWorksTM Website Definition of U.S. Navy Open Arch.</u>	<u>Covered Earlier?</u>	<u>How does Vehicle Design Enable?</u>
Modular design and design disclosure	Yes	
Reusable application software	No	Requires application software works with standard or disclosed APIs, system unique parameters must be loaded at runtime
Interoperable joint warfighting applications and secure information exchange	Not covered, per se	Provide computer resources and APIs for applications and a certified architecture for secure info. exchange
Life-cycle affordability	Not articulated	Meet all aforementioned requirements
Encouraging competition and collaboration through development of alternative solutions and sources		