

# Holographic Radar – a universal solution

Collision avoidance, wind farms and scoring!



50  
YEARS  
OF INNOVATION

NDIA targets and ranges conference

Gary Kemp






- 1 Short introduction to Cambridge Consultants**
- 2 What is holographic radar?**
- 3 Applications of holographic radar**
- 4 Questions**

- 1 Short introduction to Cambridge Consultants
- 2 **What is holographic radar?**
- 3 Applications of holographic radar
- 4 Questions

### Holographic radar implements Skolnik's vision of Ubiquitous Radar


- Holographic Radar looks continuously at a whole volume of space (rather than scanning).
- It acquires fully sampled amplitude and phase information from every object within the volume.
- It provides range, azimuth, elevation and Doppler information for every detected object.
- Tracking algorithms discriminate moving targets and clutter.
- Clutter is removed without loss of sensitivity.
  
- Practical holographic radar is possible in the modern day due to the availability of high-power processor devices at reasonable cost.

# Holographic radar



- 1 Short introduction to Cambridge Consultants
- 2 What is holographic radar?
- 3 Applications of holographic radar
- 4 Questions

## Collision warning radar



5-channel array for automotive pre-crash sensing – a minimum holographic array




## Collision warning radar





## Many wind farm planning applications are stalled




Absence of vertical discrimination combined with scan aliasing makes it impossible for a PSR to separate the track from the clutter.

Holographic radar provides the solution.

## Wind farm infill radar

### CH-InFill is a holographic radar located at or near a wind farm to generate local, high-resolution, 3D infill data

- The sensor is located in or near the wind farm
- It sees through and around the turbines without disruption
- Nothing else has been shown to do this
- Range up to 13km / 43,000ft
- Reporting rate 3-10Hz



## Wind farm infill radar - testing

66m diameter wind turbine




Remote-controlled  
helicopter with 2.2m<sup>2</sup> radar  
reflector



# LSTS



## Land and Surface Target Scorer (LSTS) system – in development

- The Land and Surface Target Scorer is a real-time vector scoring system for highly mobile targets operating in very cluttered environments.
- LSTS application of the CH radar is funded by the OSD Target Management Initiative program, sponsored and managed by NAWC-WD, Point Mugu, Target Systems Division, 5.3.1



LSTS sensor head


HSMST



1000ft scoring volume

# LSTS

## Two views of how LSTS will perform:



Migration process rejects clutter

## Accuracy and throughput

Range (5" Shell)	50ft - 1000ft
Firing rate	Up to 20 rounds / minute
Along-track position accuracy	13ft / 5% at longer range
Target speed	Up to 46kts (at SS3) Up to 100mph (land)
Sea state	Up to sea state 3
Trajectory reporting	Within 3 seconds of projectile arrival

## LSTS

**LSTS program****Proof of Concept Phase** (system design and single face build)

- Start date: Jan 2010 ✓
- System Requirements Review: April 2010 ✓
- Preliminary Design Review: June 2010 ✓
- Critical Design Review: September 2010 ✓
- Test Readiness review: November 2010
- Proof of Concept System trials with 5" shell: December 2010

**Beta-prototype phase** (complete system build and test)

- Start date: Jan 2011
- Trials with 50 cal rounds: March 2011
- Sea trials on HSMST: September 2011



## Conclusions

### Holographic radar is the best you can do in very cluttered environments

- **Target and clutter separation**
  - Continuously gather signals from a large volume of space
  - Fully sampled amplitude and phase data from every target
  - Separate targets of interest from clutter through tracking processes
- **Applications** in collision avoidance, PSR infill, scoring, through-wall, asset protection, border monitoring, other...
- **LSTS system** under development
  - 5" and 50 cal projectiles
  - Land and sea surface targets
  - Proof of Concept sea trials in December 2010



- 1 **Short introduction to Cambridge Consultants**
- 2 **What is holographic radar?**
- 3 **Applications of holographic radar**
- 4 **Questions**

## Contact details:

### **Cambridge Consultants Ltd**

Science Park, Milton Road  
Cambridge, CB4 0DW  
England

Tel: +44(0)1223 420024  
Fax: +44(0)1223 423373

Registered No. 1036298 England

[info@CambridgeConsultants.com](mailto:info@CambridgeConsultants.com)  
[www.CambridgeConsultants.com](http://www.CambridgeConsultants.com)

### **Cambridge Consultants Inc**

101 Main Street  
Cambridge MA 02142  
USA

Tel: +1 617 532 4700  
Fax: +1 617 737 9889