



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Development of a Moveable Weapon Mount System for the CH47 Helicopter

Michael Colonnello 1 September 2011



Background – M24E1 Program







- •The current machine gun mount for the CH47 is the M24 a stationary bar mount that mounts in the door and window of the aircraft and accepts the M240H machine gun.
- •A need arose for a new mount to eliminate some deficiencies that are present in the M24.







M24 Machine Gun Mount - Deficiencies



Ammunition Capacity/Retention

- Only 200 Round Capacity Per Can
- Can Held in Place by Bungee Cord

Rigid Cradle

- o Cradle is Solid Steel
- Transfers Force and Vibration to Mount/Aircraft
- o Inaccurate Fire From Gunners

Case/Link Collection

- o Only 200 Round Capacity
- o Bag is Very Weak Tears Easily
- o Bag Interferes with Bar When Full



- o Makes Egress Difficult
- Makes Hot Refueling Impossible Without Removing the Mount
- Puts Soldiers at Risk in Emergency Situations





M24E1 Machinegun Mount

Lightweight Construction

√Titanium Used Where Possible to

✓ Hollow Tube Construction✓ Aluminum Ammunition Cans

Reduce Weight



Flex-Mount Cradle

✓ Cradle Features Buffers
 That Flex with Weapon Recoil
 ✓ Allows Gunners to be More
 Accurate

Improved Catch Bag/Frame

√ 450 Case/Link Capacity

✓ Reversible Zipper for Outboard or Inboard Emptying

Pivoting Cross-bar

- ✓ Cross-bar Pivots into Aircraft
- ✓ Quick Breaking Articulation Point
- √ Allows Easy Egress and Ingress
- ✓ Can be Pivoted into Aircraft with Weapon Installed



Cross-bar Mounted Ammunition Can

- √ 400 Round Capacity
- ✓ Anti-Siphon Spring
- ✓ Opens up Gunner's Field of View on Left Side of Weapon
- ✓ Smooth Functioning Nobles Ammunition Chute

Cradle Mounted Ammunition Can

- √ 400 Round Capacity
- ✓ Anti-Siphon Spring
- √ Fewer Components
- √Fast Loading
- √Fast Ammo Can Swap

Modular Design

- √ Mounts in Existing Mount Points
- ✓ Improved Field of Fire
- √Two Ammunition Can Choices Cradle Mounted and Cross-bar Mounted
- ✓Only Four Bolts Need to be Removed to Change Ammo Can Type



M24E2 Future Improvements:

- ✓ Inboard and Outboard Articulation
- ✓ Fold-Flat Inboard Articulation
- ✓ Decreased Number of Moving Parts

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

DISTRIBUTION STATEMENT A: Approved for public release.



Flex Mount Cradle





Rigid Cradle

- Standard Aircraft Cradle
 - -Steel Construction
 - -Rigid Transfers all shock to mount, aircraft, gunner





Flexible Cradle

- •FN Manufacturing, LLC, Columbia, SC
 - -FN is also the designer of the M240H
 - -Cradle features spring damper system to dampen recoil
 - -Aluminum construction
 - -Positions ammunition can mounts, case collection system, weapon in the same location as rigid mount



M24E1 Machine Gun Mount











Operation - Articulation







1) Pull Aft Hinge Pin

2) Pull Safety Pin





Operation - Articulation







- 3) Slide Handle to Release
- 4) Swing Mount Inside Aircraft





Operation – Articulation





Just a few simple steps to go from Deployed to Open to Stowed







Locking Pin






Analyses and Testing – M&S, Range Testing







- •Finite Element Analysis (FEA) was used to ensure that the M24E1 was structurally sound
 - -8 G crash loads in positive and negative X, Y, Z directions
 - -Recoil loads simulated in worst case position to predict fatigue of critical components
- Extensive testing performed at Picatinny's Armament Technology Facility to ensure reliability of the M24E1 system
 - -Ammunition Can Loading Configurations
 - -Blank Firing
 - -Integrity of the Structure
 - -Operation of Recoil Mount

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Analysis and Testing – Ft. Rucker and Ft. Drum



- Flight Test at Ft. Rucker
 - -Vibration
 - -System reliability through flight operations
- •Ft. Drum/Ft. Indiantown Gap Operational Testing and Evaluation.
 - -Traveled to Ft. Drum/Ft. Indiantown Gap throughout the process as upgrades and changes were made to get Soldiers to test them







Production Information



- Production of M24E1 currently complete and Operational Evaluation has begun
 - Imperial Machine and Tool, LLC is the prime contractor
 - · Located in Columbia, NJ
 - · Manufactured the prototype mounts
 - · Have expertise in titanium machining, welding
 - 120 Shipsets (240 Mounts), and applicable spare parts and assemblies manufactured
- In Theater Operational Evaluation
 - Beginning In December 2010, Units deploying to Theater have been outfitted with these mounts
 - Each Unit going into Theater will be fully equipped, trained, and outfitted with the M24E1 system
 - Throughout their Tour, they will be asked to use this system and provide feedback to the design team, which will be used to help tune the design of the M24E1Mod1, which will go into production in FY2012






M24E1Mod1 – Added Features



M24E1

M24E1Mod1



M24E1

Rotates Into Aircraft

M24E1Mod1


Rotates Into Aircraft
Rotates Out of Aircraft






M24E1Mod1 – Added Features







Stowed Inside Aircraft for Regular Egress or Hot Refueling

Pushed Outside Aircraft for Emergency Egress





Applicability of Technology



- How can we apply this technology to other systems, or allow additional weapon systems to be mounted to the CH47
 - Recoil System The Recoil Cradle that is used on the M24E1 is a simple system that
 allows the recoil of the weapon to be absorbed through the use of a spring-damper
 system. Larger versions of this system could allow weapons with higher recoil forces
 to be mounted on aircraft that typically use the M240H. Special Forces are already
 mounting additional weapon systems on their aircraft.
 - Structural Rigidity M24E1 cross bars are essentially thin-walled titanium tubes.
 Stronger tubes, larger diameter, and thicker cross sections will improve the system's structural integrity, as could the use of different cross sectional profiles.
 - Aircraft Hardpoints While the system itself could easily be modified to allow the use
 of heavier or higher recoil weapons, the aircraft hardpoints may not be able to hold up
 over time. As such, the design team would likely need to beef up these hardpoints in
 order to allow prolonged use of higher recoil systems.
 - Foreign Military Sales Many other countries have CH47 aircraft Great Britain, Australia, Netherlands, Japan, Canada, etc.
 - Additional Applicability to CH47 Different Locations in Aircraft (Rear Windows, etc.)





Applicability to Other Aircraft/Services













Applicability to Other Weapon Systems





M107

M2





M134



- •Many other weapons could be desirable on aircraft
- Special Forces are already using some of these weapons in their aircraft with less than ideal mounting solutions
- Technologies used in the M24E1 and M24E1Mod1 could make this possible





QUESTIONS





Michael Colonnello, (973) 724-9748, michael.colonnello@us.army.mil Adam M. Jacob, (973) 724-0535, adam.jacob@us.army.mil





References



Photographs of Aircraft and Weapons taken from:

- http://www.gdatp.com
- •http://www.dillonaero.com
- http://www.minihelicopter.net
- http://www.barrett.net
- http://en.wikipedia.org
- http://www.sikorsky.com
- http://www.boeing.com

